

















Product	Render	Specification	Qt	Notes
RB1233		<p>D10 P10 C11HL8 T3-Z8 RB1 K29</p> <p>D10 robinia</p> <p>P10 Platform from robinia planks</p> <p>C11HL8 C11 colour variant, HPL panels, steel rope braided with polypropylene (beige)</p> <p>T3-Z8 AISI 304 screws, gray plugs with Vinci logo</p> <p>RB1 Set of tools for Robinia (4 pieces)</p> <p>K29 Anchoring in ground - 100 cm</p>	1	
WD1413		<p>D1 M3M2 P1P5 C9HL8 K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P1P5 platforms & chalkboard - HPL</p> <p>C9HL8 C9 colour variant, HPL panels, steel rope braided with polypropylene (beige)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
WD1506		<p>D1 M3M2 P2P6 C11EL5 S1ES13E K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P2P6 platforms & chalkboard - waterproof plywood</p> <p>C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue)</p> <p>S1ES13E Standard (HDPE, INOX)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
0801-1		<p>M5 C11E K1</p> <p>M5 hot dip galvanising (s)</p> <p>C11E C11 colour variant, HDPE panels</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	

Product	Render	Specification	Qt	Notes
WD1560		<p>D1 C3H K1</p> <p>D1 impregnated laminated wood of pine</p> <p>C3H HPL panels C3</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
WD1562		<p>D1 C3H K1</p> <p>D1 impregnated laminated wood of pine</p> <p>C3H HPL panels C3</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
0812		<p>M1 P1 C1H K1</p> <p>M1 powder galvanising & powder coating</p> <p>P1 HPL platforms</p> <p>C1H C1 colour variant, HPL panels</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
0409		<p>M5 P2 K1</p> <p>M5 hot dip galvanising</p> <p>P2 anti slip & waterproof plywood</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	2	
ST0531		<p>M1M3 C12H N14Ci T3Z12 K3</p> <p>M1M3 powder galvanising & powder coating</p> <p>C12H C12 colour variant, HPL panels</p> <p>N14Ci C8 colour variant (lime)</p> <p>T3Z12 AISI 304 screws, black HDPE plugs</p> <p>K3 anchoring with plates - 5 cm</p>	1	
0711		<p>M2 C0 K25</p> <p>M2 hot dip galvanising & powder coating</p> <p>C0 C11 colour variant</p> <p>K25 Anchoring in ground - 80 cm</p>	1	
1605		<p>M2G3 L6 K23</p> <p>M2G3 hot dip galvanising & powder coating</p> <p>L6 C3 colour variant, steel rope braided with polypropylene (black)</p> <p>K23 Anchoring in ground - 70 cm</p>	1	

Product	Render	Specification	Qt	Notes
1608		<p>M2G3 hot dip galvanising & powder coating</p> <p>L6 C3 colour variant, steel rope braided with polypropylene (black)</p> <p>K23 Anchoring in ground - 70 cm</p>	1	
1112		<p>M1 powder galvanising & powder coating</p> <p>C13H C13 colour variant, HPL panels</p> <p>N15N13 C16 colour variant (khaki)</p> <p>T3Z10 AISI 304 screws, black HDPE plugs</p> <p>K3 Anchoring with plates - 5cm</p>	1	
2004		<p>M5 hot dip galvanising</p> <p>K4 Anchoring at the ground level</p>	2	
0910		<p>M1 powder galvanising & powder coating</p> <p>C2E C2 colour variant, HDPE panels</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	5	
0913		<p>M5 hot dip galvanising</p> <p>C11E C11 colour variant, HDPE panels</p> <p>K3 anchoring with plates - 5 cm</p>	9	

CONSTRUCTION

D10 robinia

D1 impregnated laminated wood of pine

M5 hot dip galvanising

M1 powder galvanising & powder coating

M1M3 powder galvanising & powder coating

M2 hot dip galvanising & powder coating

ANCHORING

K29 Anchoring in ground - 100 cm

K1 Anchoring in ground - 55 cm (standard)

K3 anchoring with plates - 5 cm

K25 Anchoring in ground - 80 cm

K23 Anchoring in ground - 70 cm

K4 Anchoring at the ground level

PLATFORMS

P1 HPL platforms

P2 anti slip & waterproof plywood

PANELS

C1H C1 colour variant, HPL panels

C2E C2 colour variant, HDPE panels

COLOUR

C0 C11 colour variant
