














Product	Render	Specification	Qt	Notes
WD1418-1S1		<p>D1 M3M2 P2P6 C11EL5 S1E K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P2P6 platforms & chalkboard - waterproof plywood</p> <p>C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue)</p> <p>S1E Standard (HDPE, INOX)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
WD1438		<p>D1 M3M2G3 P2 C11E S1E K3 R1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2G3 stainless steel 304</p> <p>P2 anti slip & waterproof plywood</p> <p>C11E C11 colour variant, HDPE panels</p> <p>S1E Standard (HDPE, INOX)</p> <p>K3 anchoring with plates - 5 cm</p> <p>R1 Flat seat</p>	6	
WD1506		<p>D1 M3M2 P2P6 C11EL5 S1ES13E K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P2P6 platforms & chalkboard - waterproof plywood</p> <p>C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue)</p> <p>S1ES13E Standard (HDPE, INOX)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	

Product	Render	Specification	Qt	Notes
WD1581		D1 M3M2 P2 C11EL5 S1E SF K1 D1 impregnated laminated wood of pine M3M2 stainless steel 304 P2 anti slip & waterproof plywood C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue) S1E Standard (HDPE, INOX) SF Standard flag/set of flags K1 Anchoring in ground - 55 cm (standard)	1	
WD1562		D1 C3H K1 D1 impregnated laminated wood of pine C3H HPL panels C3 K1 Anchoring in ground - 55 cm (standard)	1	
0409		M5 P2 K1 M5 hot dip galvanising P2 anti slip & waterproof plywood K1 Anchoring in ground - 55 cm (standard)	2	
0302S1		M3 P1 C5HL6 S1H K23 M3 stainless steel 304 P1 HPL platforms C5HL6 C5 colour variant, HPL panels, steel rope braided with polypropylene (black) S1H Standard (HPL, INOX) K23 Anchoring in ground - 70 cm	1	
0711		M2 C0 K25 M2 hot dip galvanising & powder coating C0 C11 colour variant K25 Anchoring in ground - 80 cm	1	
1605		M2G3 L6 K23 M2G3 hot dip galvanising & powder coating L6 C3 colour variant, steel rope braided with polypropylene (black) K23 Anchoring in ground - 70 cm	1	

Product	Render	Specification	Qt	Notes
1608		<p>M2G3 hot dip galvanising & powder coating</p> <p>L6 C3 colour variant, steel rope braided with polypropylene (black)</p> <p>K23 Anchoring in ground - 70 cm</p>	1	
0913		<p>M5 hot dip galvanising</p> <p>C11E C11 colour variant, HDPE panels</p> <p>K3 anchoring with plates - 5 cm</p>	9	
0909		<p>M1 powder galvanising & powder coating</p> <p>C11E C11 colour variant, HDPE panels</p> <p>K3 anchoring with plates - 5 cm</p>	8	
0910		<p>M1 powder galvanising & powder coating</p> <p>C2E C2 colour variant, HDPE panels</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	5	

CONSTRUCTION

D1 impregnated laminated wood of pine

M5 hot dip galvanising

M3 stainless steel 304

M2 hot dip galvanising & powder coating

M1 powder galvanising & powder coating

SLIDE

S1E Standard (HDPE, INOX)

S1H Standard (HPL, INOX)

ANCHORING

K1 Anchoring in ground - 55 cm (standard)

K3 anchoring with plates - 5 cm

K23 Anchoring in ground - 70 cm

K25 Anchoring in ground - 80 cm

PLATFORMS

P2 anti slip & waterproof plywood

P1 HPL platforms

PANELS

C11E C11 colour variant, HDPE panels

C2E C2 colour variant, HDPE panels

SWING SEATS

R1 Flat seat

COLOUR

C0 C11 colour variant